

A Project Report

on

Disease Prediction Using Machine Learning (Health Buddy)

*Submitted in partial fulfillment of the
requirement for the award of the degree of*

Bachelor of Technology in Computer Science and Engineering



(Established under Galgotias University Uttar Pradesh Act No. 14 of 2011)

**Under the Supervision of
Dr. Raju Ranjan
Professor, SCSE**

Submitted By

Adarsh Tripathi
18SCSE1010415

Adarsh Kumar Pandey
19SCSE1010789

**SCHOOL OF COMPUTING SCIENCE AND ENGINEERING
DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
GALGOTIAS UNIVERSITY, GREATER NOIDA
INDIA
May, 2022**



**SCHOOL OF COMPUTING SCIENCE AND
ENGINEERING
GALGOTIAS UNIVERSITY, GREATER NOIDA**

CANDIDATE'S DECLARATION

We hereby declare that the work which is being presented in the project, entitled “**Disease Prediction Using Machine Learning (Health Buddy)**” in partial fulfillment of the requirements for the award of the Bachelor of Technology submitted in the School of Computing Science and Engineering of Galgotias University, Greater Noida, is an original work carried out during the period of 6 months, under the supervision of **Dr. Raju Ranjan-Professor**, Department of Computer Science and Engineering, Galgotias University, Greater Noida

The matter presented in the project has not been submitted by us for the award of any other degree of this or any other places.

Adarsh Tripathi, 18SCSE1010415

Adarsh Kumar Pandey 19SCSE1010789

This is to certify that the above statement made by the candidates is correct to the best of my knowledge.

Dr. Raju Ranjan
Professor

CERTIFICATE

The Final Project Viva-Voce examination of Adarsh Tripathi, 18SCSE1010415 and Adarsh Kumar Pandey 19SCSE1010789 has been held on _____ and his/her work is recommended for the award of Bachelor of Technology.

Signature of Examiner(s)

Signature of Supervisor(s)

Signature of Project Coordinator

Signature of Dean

Date: May, 2022

Place: Greater Noida

Abstract

Here our team present a paper on disease prediction using machine learning through an application'.The motivation behind this application is the pandemic(Covid- Situation) faced by the whole world , also to robotise the current manual framework by the assistance of mechanised supplies and undeniable PC programming, so their important information/data can be put away for a more drawn out period with simple getting to and control of something very similar.This paper introduces the field of diseases prediction , the treatment for the disease and consulting with the doctors nearby through efficient programming using machine learning . It describes the need for a system of online artificial doctor, which will not only help them in predicting and understanding the diseases , but it will also advise them of certain medicines that is necessary for controlling or curing those diseases . The entire experience of the patient will be very convenient , time saving and also low cost as compared to the offline pharmacies as entire the facility will be available for 24 hours a day . Apart from the efficiency of the service that the user will experience ,their privacy will also be maintained . Diseases prediction using machine learning , as portrayed above, can prompt blunder free, secure, solid and quick administration framework. Along these lines it will help association in better usage of assets. The association can keep up with mechanised records without repetitive sections. That implies that one need not be diverted by data that isn't applicable, while having the option to arrive at the data.

The point is to mechanise its current manual framework by the assistance of automated types of gear and undeniable PC programming, satisfying their prerequisites, so their significant disease prediction and their cure also the medicines with simple getting to and control of something similar.

Fundamentally the venture depicts how to oversee for great execution and better administrations for the users.

Disease Prediction expects to help each and every individual who are intending to know their disease and get a cure for the same by consulting a doctor online, anywhere and anytime . Disease Prediction is a web application which clients can execute in their cell phones or PC's and track and see the disease they are suffering from .As we all know during the Covid Pandemic faced the entire human race their was shortage of doctors , medical facilities , hospitals as it was an forecasted before and all the human race were feeling helpless . Non-Covid Patients who were not suffering coronavirus but were not well due to some other diseases were unable to consult the doctors and get the desires treatment for the procured diseases. Here comes our Health Buddy which will predict the diseases. to the users and give them cure, also they can schedule an online appointment with the doctors .

Table of Contents

Title	Page No.
Candidates Declaration	I
Acknowledgement	II
Abstract	III
Contents	IV
List of Table	V
List of Figures	VI
Acronyms	VII
Chapter 1 Introduction	1
1.1 Introduction	2
1.2 Formulation of Problem	3
1.2.1 Tool and Technology Used	
Chapter 2 Literature Survey/Project Design	5
Chapter 3 Functionality/Working of Project	9
Chapter 4 Results and Discussion	11
Chapter 5 Conclusion and Future Scope	41
5.1 Conclusion	41
5.2 Future Scope	42
Reference	43
Publication/Copyright/Product	45

List of Table

S.No.	Caption	Page No.
1	Prediction Process	12
2	Pandas Representation	33
3	Decision Tree Example	33

List of Figures

S.No.	Title	Page No.
1	State Diagram	24
2	tKinter Representation	31
3	Uses of NumPy	32

Acronyms

B.Tech.	Bachelor of Technology
M.Tech.	Master of Technology
BCA	Bachelor of Computer Applications
MCA	Master of Computer Applications
B.Sc. (CS)	Bachelor of Science in Computer Science
M.Sc. (CS)	Master of Science in Computer Science
SCSE	School of Computing Science and Engineering

CHAPTER-1

Introduction

Extensive familiarity with computer-based technology in the healthcare industry has led to accumulation electronic data. Due to the large amount of data, medical Doctors face the challenge of analyzing symptoms accurately as well early diagnosis. However, the machine is monitored reading (ML) algorithms have shown significant potential in standard diagnostic and therapeutic procedures medical professionals in early detection of highly dangerous diseases. In these texts, the purpose of which is to identify the various styles types of ML models monitored for disease detection through performance metrics test. Most striking the discussion of ML algorithms surveyed was Naïve Bayes (NB), Decision Trees (DT), Nearby K Neighborhood (KNN). As a result, Support Vector Machine (SVM) is the most adequate acquisition kidney disease and Parkinson's disease. Logistic Regression (LR) plays a key role in predicting heart disease. Finally, Random Forest (RF), and Convolutional Neural Networks (CNN) accurate prediction of asthma and general illnesses, respectively.

Due to the advancement of data in biomedical and healthcare communities, accurate research of medical data benefits early diagnosis, patient care, and community services. When the quality of medical data incomplete research accuracy decreases. In addition, different regions exhibit a unique appearance of certain regional diseases, which may weaken the prognosis for disease outbreaks.

The proposed system provides machine learning algorithms for the effective prediction of various diseases that happens in communities that are often sick. Examines modified models that are more than just real-life hospital data collected. To overcome the complexity of incomplete data, it uses the hidden feature model to resize the file missing data. It diagnoses chronic regional

cerebral infarction. Scheduled use once random data from the hospital using the Machine Learning Machine Decision and Reduction Map algorithm. With our best knowledge in the area of medical data analysis, there is no work available focuses on both types of data.


Literature Reviews/Comparative Study

Disease prediction exploitation Machine Learning over massive Data". the massive information is quickest conception in current trend, therefore this idea is applied in additional fields. the {large|the massive} information is most generally utilised in every each field as a result of it's terribly large. the massive information is applied in medical field each facet developing the higher growth in each fields, that's massive information is applied in medical fields develops the medical fields at an equivalent time increase the expansion in massive information field. the massive information helps to realise the higher growth in medical and health care sectors. It to boot, provides the additional deserves offers, (i) medical information analysis with accuracy, (ii) early prediction for illness, (iii) patient familiarised information with accuracy, (iv) The medical information, is firmly hold on and utilised in several places, (v) incomplete regional information are reduced and provides the accuracy result. Goal of the conception is select the region and collects the hospital information or medical information of specific elite region, this method is exploitation the machine learning formula. This term supported the information mining technique is employed for illness prediction with accuracy.

In the paper "A study on data processing prediction techniques in aid sector" [2] the fields that mentioned square measure, info Discovery methodology (KDD)

is that the strategy of adjusting the low-level knowledge into high-level information. Hence, KDD refers to the nontrivial removal of implicit, previously unknown and likely useful knowledge from info in databases. The iterative methodology consists of the next steps: info cleansing, info integration, info alternative, info transformation, processing, Pattern analysis, Knowledge. aid processing prediction supported processing techniques square measure as follows: Neural network, Bayesian Classifiers, call tree, Support Vector Machine. The paper states the comparative study off varied aid predictions, Study of data mining techniques and tools for prediction of disorder, varied cancers, and polygenic disorder, illness and medication conditions. Few limitations square measure that if attributes aren't connected then call trees prediction is a smaller amount correct and ANN is computationally intensive to coach conjointly it doesn't cause specific conclusion.

Disease Prediction Using Machine Learning



Fungal infections-

Fungal infections can affect anyone, and they can appear on several parts of the body. A jock with athlete's foot, a baby with thrush, and a woman with a vaginal yeast infection are just a few examples.

Fungi are microorganisms characterized by a substance in their cell walls called chitin. Some fungi, like many types of mushrooms, are edible. Other types of fungi, like aspergillus, can be extremely dangerous and lead to life-threatening diseases.

Different types of fungi can cause fungal infections. In some cases, fungi that aren't typically found on or inside your body can colonize it and cause an infection. In other cases, fungi that are normally present on or inside your body can multiply out of control and cause an infection.

Fungal infections can be contagious. They can spread from one person to another. In some cases, you can also catch disease-causing fungi from infected animals or contaminated soil or surfaces.

If you develop signs or symptoms of a fungal infection, make an appointment with your doctor.

Allergies-

An allergy is a reaction by your immune system to something that does not bother most other people. People who have allergies often are sensitive to more than one thing. Substances that often cause reactions are:

Pollen

Dust mites

Mold spores

Pet dander

Food

Insect stings

Medicines

Normally, your immune system fights germs. It is your body's defense system. In most allergic reactions, however, it is responding to a false alarm. Genes and the environment probably both play a role.

Allergies can cause a variety of symptoms such as a runny nose, sneezing, itching, rashes, swelling, or asthma. Allergies can range from minor to severe. Anaphylaxis is a severe reaction that can be life-threatening. Doctors use skin and blood tests to diagnose allergies. Treatments include medicines, allergy shots, and avoiding the substances that cause the reactions.

Chronic cholestatic diseases

Chronic cholestatic diseases, whether occurring in infancy, childhood or adulthood, are characterized by defective bile acid transport from the liver to the intestine, which is caused by primary damage to the biliary epithelium in most cases. In this article, approaches to diagnosis and management of the main specific disorders are provided and some of the recent developments in this field are discussed. Major advances in the understanding of the cellular and molecular physiology of bile secretion have led to identification of genetic defects responsible for the different types of progressive familial intrahepatic cholestasis (PFIC). The potential role of the genes involved in PFIC in some adult cholestatic disorders remains to be determined. The majority of adult patients with chronic cholestasis have primary biliary cirrhosis (PBC) or primary sclerosing cholangitis (PSC). Recently, variant forms of PBC have been described. The term autoimmune cholangitis is used to describe patients having chronic non-suppurative cholangitis with negative antimitochondrial antibodies (AMA) but positive antinuclear and/or antismooth muscle antibodies.

Autoimmune cholangitis and AMA-positive PBC are quite similar in terms of clinical presentation, survival and response to ursodeoxycholic acid (UDCA) therapy. In contrast, autoimmune cholangitis must be distinguished from PBC-autoimmune hepatitis (AIH) overlap syndrome in which biochemical and histological characteristics of both PBC and AIH coexist. Combination of UDCA and corticosteroids is required in most patients with overlap syndrome to obtain a complete clinical and biochemical response. Long-term UDCA treatment improves survival without liver transplantation in PBC patients. Among the putative mechanisms of the beneficial effects of UDCA, description of anti-apoptotic properties and effect on endotoxin disposal in biliary cells have provided new insights. In patients with incomplete response to UDCA, combination of UDCA with antiinflammatory or immunosuppressive drugs is under evaluation. Variant forms of PSC have also been described, including PSC-AIH overlap syndrome, especially in children or young adults, and small-duct PSC, which is characterized by normal cholangiogram in patients having chronic cholestasis, histologic features compatible with PSC and inflammatory bowel disease. Development of cholangiocarcinoma (CC) is a major feature of PSC, occurring in 10-15% of patients. Early diagnosis of CC is a difficult challenge, although positron emission tomography seems a promising tool. Unlike PBC, effective medical therapy is not yet available in PSC, reflecting the lack of knowledge about the exact pathogenesis of the disease. Currently, liver transplantation is the only effective therapy for patients with advanced disease, although recurrence of PSC in the graft may occur.

Drug Reactions-

Most of the time, medicines make our lives better. They reduce aches and pains, fight infections, and control problems such as high blood pressure or diabetes. But medicines can also cause unwanted reactions.

One problem is interactions, which may occur between:

Two drugs, such as aspirin and blood thinners

Drugs and food, such as statins and grapefruit

Drugs and supplements, such as ginkgo and blood thinners

Drugs and diseases, such as aspirin and peptic ulcers

Interactions can change the actions of one or both drugs. The drugs might not work, or you could get side effects.

Side effects are unwanted effects caused by the drugs. Most are mild, such as a stomach aches or drowsiness, and go away after you stop taking the drug. Others can be more serious.

Drug allergies are another type of reaction. They can be mild or life-threatening. Skin reactions, such as hives and rashes, are the most common type. Anaphylaxis, a serious allergic reaction, is more rare.

When you start a new prescription or over-the-counter medication, make sure you understand how to take it correctly. Know which other medications and foods you need to avoid. Ask your health care provider or pharmacist if you have questions.

Peptic ulcer disease-

Peptic ulcers are open sores that develop on the inside lining of your stomach and the upper portion of your small intestine. The most common symptom of a peptic ulcer is stomach pain.

Peptic ulcers include:

Gastric ulcers that occur on the inside of the stomach

Duodenal ulcers that occur on the inside of the upper portion of your small

intestine (duodenum)

The most common causes of peptic ulcers are infection with the bacterium *Helicobacter pylori* (*H. pylori*) and long-term use of nonsteroidal anti-inflammatory drugs (NSAIDs) such as ibuprofen (Advil, Motrin IB, others) and naproxen sodium (Aleve). Stress and spicy foods do not cause peptic ulcers. However, they can make your symptoms worse.

The most common peptic ulcer symptom is burning stomach pain. Stomach acid makes the pain worse, as does having an empty stomach. The pain can often be relieved by eating certain foods that buffer stomach acid or by taking an acid-reducing medication, but then it may come back. The pain may be worse between meals and at night.

Many people with peptic ulcers don't even have symptoms.

Less often, ulcers may cause severe signs or symptoms such as:

1. Vomiting or vomiting blood — which may appear red or black
2. Dark blood in stools, or stools that are black or tarry
3. Trouble breathing
4. Feeling faint
5. Nausea or vomiting
6. Unexplained weight loss
7. Appetite changes

AIDS-

Acquired immunodeficiency syndrome (AIDS) is a chronic, potentially life-threatening condition caused by the human immunodeficiency virus (HIV). By damaging your immune system, HIV interferes with your body's ability to fight infection and disease.

HIV is a sexually transmitted infection (STI). It can also be spread by contact with infected blood or from mother to child during pregnancy, childbirth or breast-feeding. Without medication, it may take years before HIV weakens your immune system to the point that you have AIDS.

There's no cure for HIV/AIDS, but medications can dramatically slow the progression of the disease. These drugs have reduced AIDS deaths in many developed nations.

The symptoms of HIV and AIDS vary, depending on the phase of infection.

Primary infection (Acute HIV)

Some people infected by HIV develop a flu-like illness within two to four weeks after the virus enters the body. This illness, known as primary (acute) HIV infection, may last for a few weeks. Possible signs and symptoms include:

Fever

Headache

Muscle aches and joint pain

Rash

Sore throat and painful mouth sores

Swollen lymph glands, mainly on the neck

Diarrhea

Weight loss

Cough

Night sweats

These symptoms can be so mild that you might not even notice them. However, the amount of virus in your bloodstream (viral load) is quite high at this time. As a result, the infection spreads more easily during primary infection than during the next stage.

Clinical latent infection (Chronic HIV)

In this stage of infection, HIV is still present in the body and in white blood cells. However, many people may not have any symptoms or infections during this time.

This stage can last for many years if you're not receiving antiretroviral therapy (ART). Some people develop more severe disease much sooner.

Symptomatic HIV infection

As the virus continues to multiply and destroy your immune cells — the cells in your body that help fight off germs — you may develop mild infections or chronic signs and symptoms such as:

Fever

Fatigue

Swollen lymph nodes — often one of the first signs of HIV infection

Diarrhea

Weight loss

Oral yeast infection (thrush)

Shingles (herpes zoster)

Pneumonia

Progression to AIDS

Thanks to better antiviral treatments, most people with HIV in the U.S. today don't develop AIDS. Untreated, HIV typically turns into AIDS in about 8 to 10 years.

When AIDS occurs, your immune system has been severely damaged. You'll be more likely to develop opportunistic infections or opportunistic cancers —

diseases that wouldn't usually cause illness in a person with a healthy immune system.

The signs and symptoms of some of these infections may include:

Sweats

Chills

Recurring fever

Chronic diarrhea

Swollen lymph glands

Persistent white spots or unusual lesions on your tongue or in your mouth

Persistent, unexplained fatigue

Weakness

Weight loss

Skin rashes or bumps

Diabetes-

Diabetes is a disease that occurs when your blood glucose, also called blood sugar, is too high. Blood glucose is your main source of energy and comes from the food you eat. Insulin, a hormone made by the pancreas, helps glucose from food get into your cells to be used for energy. Sometimes your body doesn't make enough—or any—insulin or doesn't use insulin well. Glucose then stays in your blood and doesn't reach your cells.

Over time, having too much glucose in your blood can cause health problems. Although diabetes has no cure, you can take steps to manage your diabetes and stay healthy.

Sometimes people call diabetes “a touch of sugar” or “borderline diabetes.” These terms suggest that someone doesn't really have diabetes or has a less

serious case, but every case of diabetes is serious.

Diabetes monitor with fruits and vegetables

Diabetes affects just about everyone, from the over 110 million Americans with or at risk for the disease to the many more people who care for them.

What are the different types of diabetes?

The most common types of diabetes are type 1, type 2, and gestational diabetes.

Type 1 diabetes

If you have type 1 diabetes, your body does not make insulin. Your immune system attacks and destroys the cells in your pancreas that make insulin. Type 1 diabetes is usually diagnosed in children and young adults, although it can appear at any age. People with type 1 diabetes need to take insulin every day to stay alive.

Type 2 diabetes

If you have type 2 diabetes, your body does not make or use insulin well. You can develop type 2 diabetes at any age, even during childhood. However, this type of diabetes occurs most often in middle-aged and older people. Type 2 is the most common type of diabetes.

Gestational diabetes

Gestational diabetes develops in some women when they are pregnant. Most of the time, this type of diabetes goes away after the baby is born. However, if you've had gestational diabetes, you have a greater chance of developing type 2 diabetes later in life. Sometimes diabetes diagnosed during pregnancy is actually type 2 diabetes.

Other types of diabetes

Less common types include monogenic diabetes, which is an inherited form of diabetes, and cystic fibrosis-related diabetes.

Gastroenteritis-

Viral gastroenteritis is an intestinal infection marked by watery diarrhea, abdominal cramps, nausea or vomiting, and sometimes fever.

The most common way to develop viral gastroenteritis — often called stomach flu — is through contact with an infected person or by ingesting contaminated food or water. If you're otherwise healthy, you'll likely recover without complications. But for infants, older adults and people with compromised immune systems, viral gastroenteritis can be deadly.

There's no effective treatment for viral gastroenteritis, so prevention is key. In addition to avoiding food and water that may be contaminated, thorough and frequent hand-washings are your best defense.

Although it's commonly called stomach flu, gastroenteritis isn't the same as influenza. Real flu (influenza) affects only your respiratory system — your nose, throat and lungs. Gastroenteritis, on the other hand, attacks your intestines, causing signs and symptoms, such as:

Watery, usually nonbloody diarrhea — bloody diarrhea usually means you have a different, more severe infection

Abdominal cramps and pain

Nausea, vomiting or both

Occasional muscle aches or headache

Low-grade fever

Depending on the cause, viral gastroenteritis symptoms may appear within one to three days after you're infected and can range from mild to severe. Symptoms usually last just a day or two, but occasionally they may persist as long as 10

days.

Because the symptoms are similar, it's easy to confuse viral diarrhea with diarrhea caused by bacteria, such as *Clostridium difficile*, salmonella and *E. coli*, or parasites, such as giardia.

Bronchial Asthma-

Bronchial asthma is a medical condition which causes the airway path of the lungs to swell and narrow. Due to this swelling, the air path produces excess mucus making it hard to breathe, which results in coughing, short breath, and wheezing. The disease is chronic and interferes with daily working. The disease is curable and inhalers help overcome asthma attacks. Bronchial Asthma can affect any age or gender and depends upon environmental and hereditary factors at large. When ignored, disease proves fatal claiming lives in many cases. As per a recent survey, more than 1 million cases are reported every year in India.

The symptoms may vary from individual to individual and depends on environmental factors. A person may show regular symptoms of the disease or periodic symptoms that may prompt at a certain time. The most common signs of asthma that can help diagnose the disease are:

1. Breathlessness or short breath while talking, laughing, or running.
2. Chest Pain or tightness.
3. Sleep apnea or trouble while sleeping caused by breathlessness.
4. Coughing or wheezing (whistling sound from chest while sleeping or lying down).
5. Cold and flu due to viral infection.

Hypertension-

High blood pressure (hypertension) is a common condition in which the long-term force of the blood against your artery walls is high enough that it may eventually cause health problems, such as heart disease.

Blood pressure is determined both by the amount of blood your heart pumps and the amount of resistance to blood flow in your arteries. The more blood your heart pumps and the narrower your arteries, the higher your blood pressure. A blood pressure reading is given in millimeters of mercury (mm Hg). It has two numbers.

Top number (systolic pressure). The first, or upper, number measures the pressure in your arteries when your heart beats.

Bottom number (diastolic pressure). The second, or lower, number measures the pressure in your arteries between beats.

You can have high blood pressure for years without any symptoms. Uncontrolled high blood pressure increases your risk of serious health problems, including heart attack and stroke. Fortunately, high blood pressure can be easily detected. And once you know you have high blood pressure, you can work with your doctor to control it.

Most people with high blood pressure have no signs or symptoms, even if blood pressure readings reach dangerously high levels.

A few people with high blood pressure may have headaches, shortness of breath or nosebleeds, but these signs and symptoms aren't specific and usually don't occur until high blood pressure has reached a severe or life-threatening stage.

Migraine-

Migraine is a medical condition that involves severe, recurring headaches and other symptoms.

A migraine episode is a type of headache. An episode usually occurs in stages and can last for several days. Severe cases can affect a person's daily life, including their ability to work or study.

Migraine can affect people in different ways, and the triggers, severity, symptoms, and frequency can vary. Some people have more than one episode each week, while others have them only occasionally.

In 2018, researchers found that more than 15% Trusted Source of adults in the United States had experienced a migraine episode or a severe headache within the last 3 months.

Research from 2015 found that migraine affects just over 19% Trusted Source of females and 9% of males. Episodes often occur in people aged 18–44 years, but they can happen at any time, including during childhood.

Cervical spondylosis-

Cervical spondylosis is a general term for age-related wear and tear affecting the spinal disks in your neck. As the disks dehydrate and shrink, signs of osteoarthritis develop, including bony projections along the edges of bones (bone spurs).

Cervical spondylosis is very common and worsens with age. More than 85 percent of people older than age 60 are affected by cervical spondylosis.

Most people experience no symptoms from these problems. When symptoms do occur, nonsurgical treatments often are effective.

For most people, cervical spondylosis causes no symptoms. When symptoms do occur, they typically include pain and stiffness in the neck.

Sometimes, cervical spondylosis results in a narrowing of the space needed by the spinal cord and the nerve roots that pass through the spine to the rest of your body. If the spinal cord or nerve roots become pinched, you might experience:

1. Tingling, numbness and weakness in your arms, hands, legs or feet
2. Lack of coordination and difficulty walking
3. Loss of bladder or bowel control

Jaundice-

Jaundice causes your skin and the whites of your eyes to turn yellow. Too much bilirubin causes jaundice. Bilirubin is a yellow chemical in hemoglobin, the substance that carries oxygen in your red blood cells. As red blood cells break down, your body builds new cells to replace them. The old ones are processed by the liver. If the liver cannot handle the blood cells as they break down, bilirubin builds up in the body and your skin may look yellow.

Many healthy babies have some jaundice during the first week of life. It usually goes away. However, jaundice can happen at any age and may be a sign of a problem. Jaundice can happen for many reasons, such as:

Blood diseases

Genetic syndromes

Liver diseases, such as hepatitis or cirrhosis

Blockage of bile ducts

Infections

Medicines

Malaria-

Malaria is a disease caused by a parasite. The parasite is spread to humans through the bites of infected mosquitoes. People who have malaria usually feel very sick with a high fever and shaking chills.

While the disease is uncommon in temperate climates, malaria is still common in tropical and subtropical countries. Each year nearly 290 million people are

infected with malaria, and more than 400,000 people die of the disease.

To reduce malaria infections, world health programs distribute preventive drugs and insecticide-treated bed nets to protect people from mosquito bites. The World Health Organization has recommended a malaria vaccine for use in children who live in countries with high numbers of malaria cases.


Protective clothing, bed nets and insecticides can protect you while traveling. You also can take preventive medicine before, during and after a trip to a high-risk area. Many malaria parasites have developed resistance to common drugs used to treat the disease.

Problem Formulation

In existing world, If a human is suffering from a diseases he needs a consultation from doctors also many diagnosis for knowing the diseases . Our application which is inspired by machine learning checks several parameters and all the difficulties faced by the patient and thus gives us a thorough result of the disease which is then prescribed by the medicine moreover if a patient needs a consultation with the doctor the application will provide that facility also . Several health tracking devices and sensor are available in the market by which we can easily check our blood sugar levels , pulse and bloop pressure , oxygen level . We are trying to implement this in our application to get better result and accurate health condition of the patient and thus providing a better medical treatment and the patient can rely on this upcoming technologies and adapt it easily .

To lessen manual availability , we propose an web application which is created by Python using machine learning . This application permits users to mark their difficulties and then generate three diseases which they are suffering from.

Fig 1. State Diagram



Modules Used

● Naive Bayes Algorithm

The Naive Bayes algorithm is an algorithm that learns the possibilities of an object with specific elements of a particular group / class. For example, if you are trying to identify a fruit according to its colour, texture and taste, then the fruit is orange, round, and soft and almost orange. All of these individual structures contribute to the potential for this fruit to be orange which is why it is known as “negligence”. As for the “Bayes” section, it refers to mathematician and philosopher Thomas Bayes and the theory named after him, the Bayes theory, which is the basis of the Naïve Bayes Algorithm. Officially, Bayes' Theorem is described as the following equation:

$$P(A/B) = (P(B/A)*P(A)) / P(B)$$

The diagram shows the equation $P(c | x) = \frac{P(x | c)P(c)}{P(x)}$ with four labels and arrows pointing to parts of the equation: "Likelihood" points to $P(x | c)$, "Class Prior Probability" points to $P(c)$, "Posterior Probability" points to $P(c | x)$, and "Predictor Prior Probability" points to $P(x)$.

$$P(c | X) = P(x_1 | c) \times P(x_2 | c) \times \dots \times P(x_n | c) \times P(c)$$

● tKinter

Python offers many options for improving GUI (Graphical User Interface). Of all the GUI methods which are available, the tkinter method is the most widely used method. It is a traditional Python interface for the Tk GUI toolkit which is implied

through Python. Python along with tkinter is a very fast and easy way to create GUI applications. Creating a GUI using the tkinter method is an easy task.


For creating a tkinter app:

- 1.Importing module - tkinter
- 2.Create a large window (container)
- 3.Add any number of widgets in the main window
- 4.Use Event trigger in widgets.
- 5.Importing tkinter is the same as importing any other module into Python code.

The method name in Python 2.x is given as 'Tkinter' and in Python 3.x it is given as 'tkinter'.

The scanner also provides access to the geometric configuration of widgets that can edit widgets in the parent windows. In particular there are three classes of geometry manager.

- 1.pack () method: Arrange widgets in blocks before placing the parent widget.
- 2.grid () method: Arrange the widgets in the grid (a table-like structure) before installing the parent widget.
- 3.Place () method: Edits widgets by placing them in specific places directed by the editor.



● Numpy


NumPy is a standard purpose-packed package. Provides advanced multidimensional object functionality, as well as tools for working with these programs. It is a basic computer science package with Python. It contains a variety of features, including the following:

1. Something as powerful as N-dimensional
2. High quality (broadcast) services.
3. Tools for combining C / C ++ and Fortran code
4. Useful line algebra, Fourier transform, and random number power

In addition to its obvious scientific uses, NumPy can also be used as an efficient multi-dimensional data container for standard data.

Incorrect data types can be defined using Numpy which allows NumPy to integrate seamlessly and quickly with a variety of information.

Uses of NumPy



● Pandas

Pandas is an open source source based on NumPy library. It is a Python package that offers a variety of data structures and functionality to manipulate numerical data and time series. It is very popular for importing and analyzing data very easily. Pandas is fast and has high performance and productivity for users.

Pandas is an open source, BSD-licensed Python library that provides easy-to-use, easy-to-use data formats and Python programming language data analysis tools. Python with Pandas is used in a variety of fields including educational and commercial domains including finance, economics, mathematics, mathematics, etc.

Select these rows Group by this column Work on these columns and... ...Perform these operations

```


data[data['item'] == 'call'].groupby('month').agg(
    max_duration=pd.NamedAgg(column='duration', aggfunc=max),
    min_duration=pd.NamedAgg(column='duration', aggfunc=min),
    total_duration=pd.NamedAgg(column='duration', aggfunc=sum),
    num_days=pd.NamedAgg(column="date", aggfunc=lambda x: (max(x) - min(x)).days)
)

```

Rename the outputs


● **Decision Tree:**

The decision tree is a powerful and popular tool for dividing and predicting. A Decision tree is a flow chart similar to a tree structure, where each internal node refers to a test in the process, while each branch denotes the test result and each leaf node (end node) holds a class label.




Screenshots-

Importing of Modules-




```
terminal Help disease_predictor.py -
disease_predictor.py X 2.py
disease_predictor.py > ...
1 from tkinter import *
2 import numpy as np
3 import pandas as pd
4 # from gui_stuff import *
5
```

Other screenshots of code-



```
File Edit Selection View Go Run Terminal Help disease_predictor.py - Disease-prediction-using-Machine-Learning-master - Visual Studio Code
EXPLORER
DISEASE-PREDICTION-USING-MACHINE-LE...
disease_predictor.py
README.md
Testing.csv
Training.csv
disease_predictor.py X 2.py
disease_predictor.py > ...
5 l1=['back_pain','constipation','abdominal_pain','diarrhoea','mild_fever','yellow_urine',
6 'yellowing_of_eyes','acute_liver_failure','fluid_overload','swelling_of_stomach',
7 'swelled_lymph_nodes','malaise','blurred_and_distorted_vision','phlegm','throat_irritation',
8 'redness_of_eyes','sinus_pressure','runny_nose','congestion','chest_pain','weakness_in_limbs',
9 'fast_heart_rate','pain_during_bowel_movements','pain_in_anal_region','bloody_stool',
10 'irritation_in_anus','neck_pain','dizziness','cramps','bruising','obesity','swollen_legs',
11 'swollen_blood_vessels','puffy_face_and_eyes','enlarged_thyroid','brittle_nails',
12 'swollen_extremeties','excessive_hunger','extra_marital_contacts','drying_and_tingling_lips',
13 'slurred_speech','knee_pain','hip_joint_pain','muscle_weakness','stiff_neck','swelling_joints',
14 'movement_stiffness','spinning_movements','loss_of_balance','unsteadiness',
15 'weakness_of_one_body_side','loss_of_smell','bladder_discomfort','foul_smell_of_urine',
16 'continuous_feel_of_urine','passage_of_gases','internal_itching','toxic_look_typhos',
17 'depression','irritability','muscle_pain','altered_sensorium','red_spots_over_body','belly_pain',
18 'abnormal_menstruation','dischromic_patches','watering_from_eyes','increased_appetite','polyuria','family_history','mucoid_sputum',
19 'rusty_sputum','lack_of_concentration','visual_disturbances','receiving_blood_transfusion',
20 'receiving_unsterile_injections','coma','stomach_bleeding','distention_of_abdomen',
21 'history_of_alcohol_consumption','fluid_overload','blood_in_sputum','prominent_veins_on_calf',
22 'palpitations','painful_walking','pus_filled_pimples','blackheads','scurring','skin_peeling',
23 'silver_like_dusting','small_dents_in_nails','inflammatory_nails','blister','red_sore_around_nose',
24 'yellow_crust_ooze']
25
26
27 disease=['Fungal infection','Allergy','GERD','Chronic cholestasis','Drug Reaction',
28 'Peptic ulcer disease','AIDS','Diabetes','Gastroenteritis','Bronchial Asthma','Hypertension',
29 'Migraine','Cervical spondylosis',
30 'Paralysis (brain hemorrhage)','Jaundice','Malaria','Chicken pox','Dengue','Typhoid','hepatitis A',
31 'Hepatitis B','Hepatitis C','Hepatitis D','Hepatitis E','Alcoholic hepatitis','Tuberculosis',
32 'Common Cold','Pneumonia','Dimorphic hemmorhoids(piles)',
33 'Heartattack','Varicoseveins','Hypothyroidism','Hyperthyroidism','Hypoglycemia','Osteoarthritis',
34 'Arthritis','(vertigo) Paroymsal Positional Vertigo','Acne','Urinary tract infection','Psoriasis',
35 'Impetigo']
36
37 l2=[]
38 (variable) l1: list[str]
```



Decision Tree -

```
def DecisionTree():  
    from sklearn import tree  
  
    clf3 = tree.DecisionTreeClassifier() # empty model of the decision tree  
    clf3 = clf3.fit(X,y)  
  
    # calculating accuracy-----  
    from sklearn.metrics import accuracy_score  
    y_pred=clf3.predict(X_test)  
    print(accuracy_score(y_test, y_pred))  
    print(accuracy_score(y_test, y_pred,normalize=False))  
    # -----  
  
    psymptoms = [Symptom1.get(),Symptom2.get(),Symptom3.get(),Symptom4.get(),Symptom5.get()]  
  
    for k in range(0,len(l1)):  
        # print(k)  
        for z in psymptoms:  
            if(z==l1[k]):  
                l2[k]=1  
  
    inputtest = [l2]  
    predict = clf3.predict(inputtest)  
    predicted=predict[0]  
  
    h='no'  
    for a in range(0,len(disease)):  
        if(predicted == a):  
            h='yes'  
            break
```

```
if (h=='yes'):  
    t1.delete("1.0", END)  
    t1.insert(END, disease[a])  
else:  
    t1.delete("1.0", END)  
    t1.insert(END, "Not Found")  
  
def randomforest():  
    from sklearn.ensemble import RandomForestClassifier  
    clf4 = RandomForestClassifier()  
    clf4 = clf4.fit(X,np.ravel(y))  
  
    # calculating accuracy-----  
    from sklearn.metrics import accuracy_score  
    y_pred=clf4.predict(X_test)  
    print(accuracy_score(y_test, y_pred))  
    print(accuracy_score(y_test, y_pred,normalize=False))  
    # -----  
  
    psymptoms = [Symptom1.get(),Symptom2.get(),Symptom3.get(),Symptom4.get(),Symptom5.get()]  
  
    for k in range(0,len(l1)):  
        for z in psymptoms:  
            if(z==l1[k]):  
                l2[k]=1  
  
    inputtest = [l2]  
    predict = clf4.predict(inputtest)  
    predicted=predict[0]  
  
    h='no'  
    for a in range(0,len(disease)):
```

```
File Edit Selection View Go Run Terminal Help
disease_predictor.py - Disease-prediction-using-Machine-Learning-master - Visual Studio Code

EXPLORER
OPEN EDITORS
DISEASE-PREDICTION-USING-MACHINE-LE...
disease_predictor.py
README.md
Testing.csv
Training.csv

144 for a in range(0,len(disease)):
145     if(predicted == a):
146         h='yes'
147         break
148
149 if (h=='yes'):
150     t2.delete("1.0", END)
151     t2.insert(END, disease[a])
152 else:
153     t2.delete("1.0", END)
154     t2.insert(END, "Not Found")
155
156
157 def NaiveBayes():
158     from sklearn.naive_bayes import GaussianNB
159     gnb = GaussianNB()
160     gnb=gnb.fit(X,np.ravel(y))
161
162     # calculating accuracy-----
163     from sklearn.metrics import accuracy_score
164     y_pred=gnb.predict(X_test)
165     print(accuracy_score(y_test, y_pred))
166     print(accuracy_score(y_test, y_pred,normalize=False))
167     # -----
168
169     psymptoms = [Symptom1.get(),Symptom2.get(),Symptom3.get(),Symptom4.get(),Symptom5.get()]
170     for k in range(0,len(l1)):
171         for z in psymptoms:
172             if(z==l1[k]):
173                 l2[k]=1
174
175     inputtest = [l2]
176     predict = gnb.predict(inputtest)
177
PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE
powershell + - x x

OUTLINE
PS D:\major project\Disease-prediction-using-Machine-Learning-master>
Python 3.9.5 64-bit 0 0 0 Ln 121, Col 33 Spaces: 4 UTF-8 LF Python
Type here to search 17°C Polluted air 288 19:06 11-12-2021
```

```
Terminal Help
disease_predictor.py - Disease-prediction-using-Machine-Learning-master - Visual Studio Code

disease_predictor.py X 2.py
disease_predictor.py > randomforest
165 print(accuracy_score(y_test, y_pred))
166 print(accuracy_score(y_test, y_pred,normalize=False))
167 # -----
168
169 psymptoms = [Symptom1.get(),Symptom2.get(),Symptom3.get(),Symptom4.get(),Symptom5.get()]
170 for k in range(0,len(l1)):
171     for z in psymptoms:
172         if(z==l1[k]):
173             l2[k]=1
174
175     inputtest = [l2]
176     predict = gnb.predict(inputtest)
177     predicted=predict[0]
178
179     h='no'
180     for a in range(0,len(disease)):
181         if(predicted == a):
182             h='yes'
183             break
184
185     if (h=='yes'):
186         t3.delete("1.0", END)
187         t3.insert(END, disease[a])
188     else:
189         t3.delete("1.0", END)
190         t3.insert(END, "Not Found")
191
```

Graphical User Interface-

1. Entry Variables-

```
terminal  Help  • disease_predictor.py - Disease-prediction-using-Machine-Learning-master -
disease_predictor.py  2.py
disease_predictor.py > ...
191
192 # gui_stuff-----
193
194 root = Tk()
195 root.configure(background='blue')
196
197 # entry variables
198 Symptom1 = StringVar()
199 Symptom1.set(None)
200 Symptom2 = StringVar()
201 Symptom2.set(None)
202 Symptom3 = StringVar()
203 Symptom3.set(None)
204 Symptom4 = StringVar()
205 Symptom4.set(None)
206 Symptom5 = StringVar()
207 Symptom5.set(None)
208 Name = StringVar()
```

2. Heading-

```
Terminal  Help  • disease_predictor.py - Disease-prediction-using-Machine-Learning-master - Visual Studio Code
disease_predictor.py • 2.py
disease_predictor.py > ...
197 # entry variables
198 Symptom1 = StringVar()
199 Symptom1.set(None)
200 Symptom2 = StringVar()
201 Symptom2.set(None)
202 Symptom3 = StringVar()
203 Symptom3.set(None)
204 Symptom4 = StringVar()
205 Symptom4.set(None)
206 Symptom5 = StringVar()
207 Symptom5.set(None)
208 Name = StringVar()
209
210 # Heading
211 w2 = Label(root, justify=CENTER, text="Disease Predictor using Machine Learning", fg="white", bg="blue")
212 w2.config(font=("Elephant", 30))
213 w2.grid(row=1, column=0, colspan=2, padx=100)
214 w2 = Label(root, justify=CENTER, text="A Project by BT4198", fg="white", bg="blue")
215 w2.config(font=("Aharoni", 30))
216 w2.grid(row=2, column=0, colspan=2, padx=100)
217
```

3. Labels-

```
217
218 # labels
219 NameLb = Label(root, text="Name of the Patient", fg="yellow", bg="black")
220 NameLb.grid(row=6, column=0, pady=15, sticky=W)
221
222
223 S1Lb = Label(root, text="Symptom 1", fg="yellow", bg="black")
224 S1Lb.grid(row=7, column=0, pady=10, sticky=W)
225
226 S2Lb = Label(root, text="Symptom 2", fg="yellow", bg="black")
227 S2Lb.grid(row=8, column=0, pady=10, sticky=W)
228
229 S3Lb = Label(root, text="Symptom 3", fg="yellow", bg="black")
230 S3Lb.grid(row=9, column=0, pady=10, sticky=W)
231
232 S4Lb = Label(root, text="Symptom 4", fg="yellow", bg="black")
233 S4Lb.grid(row=10, column=0, pady=10, sticky=W)
234
235 S5Lb = Label(root, text="Symptom 5", fg="yellow", bg="black")
236 S5Lb.grid(row=11, column=0, pady=10, sticky=W)
237
238
239 lrLb = Label(root, text="DecisionTree", fg="white", bg="red")
240 lrLb.grid(row=15, column=0, pady=10, sticky=W)
241
242 destreeLb = Label(root, text="RandomForest", fg="white", bg="red")
243 destreeLb.grid(row=17, column=0, pady=10, sticky=W)
244
245 ranflb = Label(root, text="NaiveBayes", fg="white", bg="red")
246 ranflb.grid(row=19, column=0, pady=10, sticky=W)
247
```



4. Entries-

```
E... 248 # entries
      249 OPTIONS = sorted(l1)
      250
      251 NameEn = Entry(root, textvariable=Name)
      252 NameEn.grid(row=6, column=1)
      253
      254 S1En = OptionMenu(root, Symptom1,*OPTIONS)
      255 S1En.grid(row=7, column=1)
      256
      257 S2En = OptionMenu(root, Symptom2,*OPTIONS)
      258 S2En.grid(row=8, column=1)
      259
      260 S3En = OptionMenu(root, Symptom3,*OPTIONS)
      261 S3En.grid(row=9, column=1)
      262
      263 S4En = OptionMenu(root, Symptom4,*OPTIONS)
      264 S4En.grid(row=10, column=1)
      265
      266 S5En = OptionMenu(root, Symptom5,*OPTIONS)
      267 S5En.grid(row=11, column=1)
      268
      269
      270 dst = Button(root, text="DecisionTree", command=DecisionTree,bg="green",fg="yellow")
      271 dst.grid(row=8, column=3)
      272
      273 rnf = Button(root, text="Randomforest", command=randomforest,bg="green",fg="yellow")
      274 rnf.grid(row=9, column=3,padx=10)
      275
      276 lr = Button(root, text="NaiveBayes", command=NaiveBayes,bg="green",fg="yellow")
      277 lr.grid(row=10, column=3,padx=10)
      278
```

5. Textfields-

```
Terminal Help • disease_predictor.py - Disease-prediction-using-Machine-Learning-master - Visual Studio Code
disease_predictor.py • 2.py
disease_predictor.py > ...
270 dst = Button(root, text="DecisionTree", command=DecisionTree,bg="green",fg="yellow")
271 dst.grid(row=8, column=3)
272
273 rnf = Button(root, text="Randomforest", command=randomforest,bg="green",fg="yellow")
274 rnf.grid(row=9, column=3,padx=10)
275
276 lr = Button(root, text="NaiveBayes", command=NaiveBayes,bg="green",fg="yellow")
277 lr.grid(row=10, column=3,padx=10)
278
279 #textfileds
280 t1 = Text(root, height=1, width=40,bg="orange",fg="black")
281 t1.grid(row=15, column=1, padx=10)
282
283 t2 = Text(root, height=1, width=40,bg="orange",fg="black")
284 t2.grid(row=17, column=1 , padx=10)
285
286 t3 = Text(root, height=1, width=40,bg="orange",fg="black")
287 t3.grid(row=19, column=1 , padx=10)
288
289 root.mainloop()
290
```

6. Screenshots After Running-



Source Code-

```
from tkinter import *
import numpy as np
import pandas as pd
# from gui_stuff import *

l1=['back_pain','constipation','abdominal_pain','diarrhoea','mild_fever','yellow_urine',
'yellowing_of_eyes','acute_liver_failure','fluid_overload','swelling_of_stomach',
'swelled_lymph_nodes','malaise','blurred_and_distorted_vision','phlegm','throat_irritation',
'redness_of_eyes','sinus_pressure','runny_nose','congestion','chest_pain','weakness_in_limbs',
'fast_heart_rate','pain_during_bowel_movements','pain_in_anal_region','bloody_stool',
'irritation_in_anus','neck_pain','dizziness','cramps','bruising','obesity','swollen_legs',
,
'swollen_blood_vessels','puffy_face_and_eyes','enlarged_thyroid','brittle_nails',
'swollen_extremities','excessive_hunger','extra_marital_contacts','drying_and_tingling_lips',
'slurred_speech','knee_pain','hip_joint_pain','muscle_weakness','stiff_neck','swelling_joints',
'movement_stiffness','spinning_movements','loss_of_balance','unsteadiness',
'weakness_of_one_body_side','loss_of_smell','bladder_discomfort','foul_smell_of_urine',
'continuous_feel_of_urine','passage_of_gases','internal_itching','toxic_look_(typhos)',
'depression','irritability','muscle_pain','altered_sensorium','red_spots_over_body','belly_pain',
'abnormal_menstruation','dischromic_patches','watering_from_eyes','increased_appetite','polyuria','family_history','mucoid_sputum',
'rusty_sputum','lack_of_concentration','visual_disturbances','receiving_blood_transfusion',
'receiving_unsterile_injections','coma','stomach_bleeding','distention_of_abdomen',
'history_of_alcohol_consumption','fluid_overload','blood_in_sputum','prominent_veins_on_calf',
```

```
'palpitations','painful_walking','pus_filled_pimples','blackheads','scurring','skin_peeking',  
'silver_like_dusting','small_dents_in_nails','inflammatory_nails','blister','red_sore_around_nose',  
'yellow_crust_ooze']
```

```
disease=['Fungal infection','Allergy','GERD','Chronic cholestasis','Drug Reaction',  
'Peptic ulcer disease','AIDS','Diabetes','Gastroenteritis','Bronchial  
Asthma','Hypertension',  
'Migraine','Cervical spondylosis',  
'Paralysis (brain hemorrhage)','Jaundice','Malaria','Chicken  
pox','Dengue','Typhoid','hepatitis A',  
'Hepatitis B','Hepatitis C','Hepatitis D','Hepatitis E','Alcoholic  
hepatitis','Tuberculosis',  
'Common Cold','Pneumonia','Dimorphic hemmorhoids(piles)',  
'Heartattack','Varicoseveins','Hypothyroidism','Hyperthyroidism','Hypoglycemia',  
Osteoarthritis',  
'Arthritis','(vertigo) Paroymsal Positional Vertigo','Acne','Urinary tract  
infection','Psoriasis',  
'Impetigo']
```

```
l2=[]  
for x in range(0,len(l1)):  
    l2.append(0)
```

```
# TESTING DATA df -----
```

```
df=pd.read_csv("Training.csv")
```

```
df.replace({'prognosis':{'Fungal infection':0,'Allergy':1,'GERD':2,'Chronic  
cholestasis':3,'Drug Reaction':4,  
'Peptic ulcer disease':5,'AIDS':6,'Diabetes ':7,'Gastroenteritis':8,'Bronchial  
Asthma':9,'Hypertension ':10,  
'Migraine':11,'Cervical spondylosis':12,  
'Paralysis (brain hemorrhage)':13,'Jaundice':14,'Malaria':15,'Chicken  
pox':16,'Dengue':17,'Typhoid':18,'hepatitis A':19,  
'Hepatitis B':20,'Hepatitis C':21,'Hepatitis D':22,'Hepatitis E':23,'Alcoholic  
hepatitis':24,'Tuberculosis':25,  
'Common Cold':26,'Pneumonia':27,'Dimorphic hemmorhoids(piles)':28,'Heart  
attack':29,'Varicose veins':30,'Hypothyroidism':31,
```

```

'Hyperthyroidism':32,'Hypoglycemia':33,'Osteoarthritis':34,'Arthritis':35,
'(vertigo) Parosymal Positional Vertigo':36,'Acne':37,'Urinary tract
infection':38,'Psoriasis':39,
'Impetigo':40} },inplace=True)

# print(df.head())

X= df[11]

y = df[["prognosis"]]
np.ravel(y)
# print(y)

# TRAINING DATA tr -----
-----
tr=pd.read_csv("Testing.csv")
tr.replace({'prognosis':{'Fungal infection':0,'Allergy':1,'GERD':2,'Chronic
cholestasis':3,'Drug Reaction':4,
'Peptic ulcer disease':5,'AIDS':6,'Diabetes ':7,'Gastroenteritis':8,'Bronchial
Asthma':9,'Hypertension ':10,
'Migraine':11,'Cervical spondylosis':12,
'Paralysis (brain hemorrhage)':13,'Jaundice':14,'Malaria':15,'Chicken
pox':16,'Dengue':17,'Typhoid':18,'hepatitis A':19,
'Hepatitis B':20,'Hepatitis C':21,'Hepatitis D':22,'Hepatitis E':23,'Alcoholic
hepatitis':24,'Tuberculosis':25,
'Common Cold':26,'Pneumonia':27,'Dimorphic hemmorrhoids(piles)':28,'Heart
attack':29,'Varicose veins':30,'Hypothyroidism':31,
'Hyperthyroidism':32,'Hypoglycemia':33,'Osteoarthritis':34,'Arthritis':35,
'(vertigo) Parosymal Positional Vertigo':36,'Acne':37,'Urinary tract
infection':38,'Psoriasis':39,
'Impetigo':40} },inplace=True)

X_test= tr[11]
y_test = tr[["prognosis"]]
np.ravel(y_test)
# -----
----

def DecisionTree():

```

```

from sklearn import tree

clf3 = tree.DecisionTreeClassifier() # empty model of the decision tree
clf3 = clf3.fit(X,y)

# calculating accuracy-----
from sklearn.metrics import accuracy_score
y_pred=clf3.predict(X_test)
print(accuracy_score(y_test, y_pred))
print(accuracy_score(y_test, y_pred,normalize=False))
# -----

psymptoms =
[Symptom1.get(),Symptom2.get(),Symptom3.get(),Symptom4.get(),Symptom5.get
()]

for k in range(0,len(l1)):
    # print (k,)
    for z in psymptoms:
        if(z==l1[k]):
            l2[k]=1

inputtest = [l2]
predict = clf3.predict(inputtest)
predicted=predict[0]

h='no'
for a in range(0,len(disease)):
    if(predicted == a):
        h='yes'
        break

if (h=='yes'):
    t1.delete("1.0", END)
    t1.insert(END, disease[a])
else:
    t1.delete("1.0", END)
    t1.insert(END, "Not Found")

```

```

def randomforest():
    from sklearn.ensemble import RandomForestClassifier
    clf4 = RandomForestClassifier()
    clf4 = clf4.fit(X,np.ravel(y))

    # calculating accuracy-----
    from sklearn.metrics import accuracy_score
    y_pred=clf4.predict(X_test)
    print(accuracy_score(y_test, y_pred))
    print(accuracy_score(y_test, y_pred,normalize=False))
    # -----

    psymptoms =
    [Symptom1.get(),Symptom2.get(),Symptom3.get(),Symptom4.get(),Symptom5.get
    ()]

    for k in range(0,len(l1)):
        for z in psymptoms:
            if(z==l1[k]):
                l2[k]=1

    inputtest = [l2]
    predict = clf4.predict(inputtest)
    predicted=predict[0]

    h='no'
    for a in range(0,len(disease)):
        if(predicted == a):
            h='yes'
            break

    if (h=='yes'):
        t2.delete("1.0", END)
        t2.insert(END, disease[a])
    else:
        t2.delete("1.0", END)
        t2.insert(END, "Not Found")

```



```

def NaiveBayes():
    from sklearn.naive_bayes import GaussianNB
    gnb = GaussianNB()
    gnb=gnb.fit(X,np.ravel(y))

    # calculating accuracy-----
    from sklearn.metrics import accuracy_score
    y_pred=gnb.predict(X_test)
    print(accuracy_score(y_test, y_pred))
    print(accuracy_score(y_test, y_pred,normalize=False))
    # -----

    psymptoms =
[Symptom1.get(),Symptom2.get(),Symptom3.get(),Symptom4.get(),Symptom5.get
()]
    for k in range(0,len(l1)):
        for z in psymptoms:
            if(z==l1[k]):
                l2[k]=1

    inputtest = [l2]
    predict = gnb.predict(inputtest)
    predicted=predict[0]

    h='no'
    for a in range(0,len(disease)):
        if(predicted == a):
            h='yes'
            break

    if (h=='yes'):
        t3.delete("1.0", END)
        t3.insert(END, disease[a])
    else:
        t3.delete("1.0", END)
        t3.insert(END, "Not Found")

# gui_stuff-----

root = Tk()

```

```
root.configure(background='blue')

# entry variables
Symptom1 = StringVar()
Symptom1.set(None)
Symptom2 = StringVar()
Symptom2.set(None)
Symptom3 = StringVar()
Symptom3.set(None)
Symptom4 = StringVar()
Symptom4.set(None)
Symptom5 = StringVar()
Symptom5.set(None)
Name = StringVar()

# Heading
w2 = Label(root, justify=CENTER, text="Disease Predictor using Machine
Learning", fg="white", bg="blue")
w2.config(font=("Elephant", 30))
w2.grid(row=1, column=0, columnspan=2, padx=100)
w2 = Label(root, justify=CENTER, text="A Project by BT4198", fg="white",
bg="blue")
w2.config(font=("Aharoni", 30))
w2.grid(row=2, column=0, columnspan=2, padx=100)

# labels
NameLb = Label(root, text="Name of the Patient", fg="yellow", bg="black")
NameLb.grid(row=6, column=0, pady=15, sticky=W)

S1Lb = Label(root, text="Symptom 1", fg="yellow", bg="black")
S1Lb.grid(row=7, column=0, pady=10, sticky=W)

S2Lb = Label(root, text="Symptom 2", fg="yellow", bg="black")
S2Lb.grid(row=8, column=0, pady=10, sticky=W)

S3Lb = Label(root, text="Symptom 3", fg="yellow", bg="black")
S3Lb.grid(row=9, column=0, pady=10, sticky=W)

S4Lb = Label(root, text="Symptom 4", fg="yellow", bg="black")
```

```
S4Lb.grid(row=10, column=0, pady=10, sticky=W)
```

```
S5Lb = Label(root, text="Symptom 5", fg="yellow", bg="black")
```

```
S5Lb.grid(row=11, column=0, pady=10, sticky=W)
```

```
lrLb = Label(root, text="DecisionTree", fg="white", bg="red")
```

```
lrLb.grid(row=15, column=0, pady=10, sticky=W)
```

```
destreeLb = Label(root, text="RandomForest", fg="white", bg="red")
```

```
destreeLb.grid(row=17, column=0, pady=10, sticky=W)
```

```
ranfLb = Label(root, text="NaiveBayes", fg="white", bg="red")
```

```
ranfLb.grid(row=19, column=0, pady=10, sticky=W)
```

```
# entries
```

```
OPTIONS = sorted(11)
```

```
NameEn = Entry(root, textvariable=Name)
```

```
NameEn.grid(row=6, column=1)
```

```
S1En = OptionMenu(root, Symptom1, *OPTIONS)
```

```
S1En.grid(row=7, column=1)
```

```
S2En = OptionMenu(root, Symptom2, *OPTIONS)
```

```
S2En.grid(row=8, column=1)
```

```
S3En = OptionMenu(root, Symptom3, *OPTIONS)
```

```
S3En.grid(row=9, column=1)
```

```
S4En = OptionMenu(root, Symptom4, *OPTIONS)
```

```
S4En.grid(row=10, column=1)
```

```
S5En = OptionMenu(root, Symptom5, *OPTIONS)
```

```
S5En.grid(row=11, column=1)
```

```
dst = Button(root, text="DecisionTree",
```

```
command=DecisionTree, bg="green", fg="yellow")
```

```
dst.grid(row=8, column=3)
```

```
rnf = Button(root, text="Randomforest",  
command=randomforest,bg="green",fg="yellow")  
rnf.grid(row=9, column=3,padx=10)
```

```
lr = Button(root, text="NaiveBayes",  
command=NaiveBayes,bg="green",fg="yellow")  
lr.grid(row=10, column=3,padx=10)
```

```
#textfileds
```

```
t1 = Text(root, height=1, width=40,bg="orange",fg="black")  
t1.grid(row=15, column=1, padx=10)
```

```
t2 = Text(root, height=1, width=40,bg="orange",fg="black")  
t2.grid(row=17, column=1 , padx=10)
```

```
t3 = Text(root, height=1, width=40,bg="orange",fg="black")  
t3.grid(row=19, column=1 , padx=10)
```

```
root.mainloop()
```

REQUIRED TOOLS

Software and Hardware
Requirements:

Software Requirements:


1. Python
2. Pycharm
3. DBMS

Hardware Requirements:

1. OS: Windows/Linux/Mac
2. Processor: Dual Core or higher
3. RAM: 4 GB
4. ROM: 500 GB
5. Graphic card: Good but not necessary

Result

We have successfully created the Disease Prediction Using Machine Learning (Health Buddy) application using all the necessary modules.



CONCLUSION

The main goal is to simplify integrated and informed health care systems that can ensure greater patient satisfaction. In developing countries, forecasting analysis is the next major medical concept - the next evolutionary mathematical evolution - and roles will change as a result. Patients can get more information and be able to take more responsibility for their care, if they will use the information gained. The doctor's roles can probably be transferred to more than the head counselor, who will advise, warn and assist each patient. Physicians may find great pleasure in using it as the positive effects increase and the side effects diminish. Perhaps time with each patient can grow and doctors will have time to create a positive and lasting relationship with their patients. Time to think, interact, and really help people; Relationship building is one of the reasons why doctors say they go into medicine, and when these decrease, their satisfaction with their work decreases. Hospitals, pharmaceutical organisations and insurance providers can see the changes as well. These changes will almost certainly change the way drugs are used to reduce high health and discomfort.

FUTURE WORK

Every one of us would like to have a good medical care system and physicians are expected to be medical experts and take good decisions all the time. But it's highly unlikely to memorize all the knowledge, patient history, records needed for every situation. Although they have all the massive amount of data and information; it's difficult to compare and analyze the symptoms of all the diseases and predict the outcome. So, integrating information into patient's personalized profile and performing an in-depth research is beyond the scope a physician. So the solution is ever heard of a personalised healthcare plan – exclusively crafted for an individual. Predictive analytics is the process to make predictions about the future by analysing historical data. For health care, it would be convenient to make best decisions in case of every individual. Predictive modelling uses artificial intelligence to create a prediction from past records, trends, individuals, diseases and the model is deployed so that a new individual can get a prediction instantly. Health and Medicare units can use these predictive models to accurately assess when a patient can safely be released.

REFERENCES

- [1] Feixiang Huang, Shengyong Wang, and Chien-Chung Chan, “Predicting Disease By Using Data Mining Based on Healthcare Information System” , in IEEE 2012.
- [2] Dr. B.Srinivasan, K.Pavya, “Integrated Information according to Health Care Data”, in Information Technology Security and Protocols. (IJCSITS), ISSN: 3863-8869, Vol.67, S.No 9, Jan-May 2017.
- [3] Vikas Pareek, A. Davis, Henry N. V.-L. (2008). Predicting the Risk of a person's Disease according to the basic Medical History along with accuracy.
- [4] In-depth study of fossil remains, by Helium, K., Logan, Sun Un Doi, J., & Zhang Chi uN, XAVIER (2016). boLL, cls / 9087.3376. (mentioned about 2388 times, HIC: 137, CV: 582).
- [5] Jennifer Wright “Get Well Soon” History’s Worst Plagues and the Heroes Who Fought Them . Vol.3 .
- [6] Drew Conway and John Myles White : Machine Learning for Hackers: Case Studies and Algorithms to Get you Started Publisher – O’Reilly Media , First Edition .
- [7] Yaser Abu Mostafa, Malik Magdon-Ismail, and Hsuan-Tien Lin ‘Learning from Data: A Short Course “ . Publisher – AMLBook
- [8] Steven Bird, Ewan Klein, and Edward Loper “Natural Language Processing with Python” , Publisher – O’Reilly Media .
- [9] Shai Shalev-Schwartz and Shai Ben-David “Understanding Machine Learning” , Publisher – Cambridge University Press.
- [10] Oliver Theobald “Machine Learning for Absolute Beginners: A Plain English Introduction” Publisher – Scatterplot Press